

CERTIFICATE OF COMPLIANCE

Certificate Number E464271
Report Reference E464271-20210920
Issue Date 2022-JANUARY-12

Issued to: TURCK INC.
3000 CAMPUS DRIVE
MINNEAPOLIS, MN 55441-2619
UNITED STATES

This is to certify that representative samples of COMMUNICATIONS-, AUDIO/VIDEO-, DATA- AND OTHER SIGNALING-CIRCUIT ACCESSORIES
See Addendum Page for Models

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 1863, 4th Ed, Issue Date: 2004-05-14, Revision Date: 2019-10-14


CSA C22.2 NO. 233-17, 3rd Ed., Issue Date: 2017-05-01

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information.

This *Certificate of Compliance* does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>




CERTIFICATE OF COMPLIANCE

Certificate Number E464271
Report Reference E464271-20210920
Issue Date 2022-JANUARY-12

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Products Covered	Product Designation	Nomenclature
	FKFD-RJ45S-4416-0.3M/S1148	
	FKFD-RJ45S-4416-0.5/S1148	
	FKFD-RJ45S-4416-1M/S1148	
	PKGS4M-RJ45S-4414-0.5M	
	PKGS4M-RJ45S-4414-3.5M	
	PSG4M-PSG4M-4414-5M/TS5000	
	PSGS4M-PSGS4M-4414-0.15M	
	PSGS4M-PSGS4M-4414-0.1M	
	PSGS4M-PSGS4M-4414-0.25M	
	PSGS4M-PSGS4M-4414-0.2M	
	PSGS4M-PSGS4M-4414-0.3M	
	PSGS4M-PSGS4M-4414-0.4M	
	PSGS4M-PSGS4M-4414-0.5M	
	PSGS4M-PSGS4M-4414-0.6M	
	PSGS4M-PSGS4M-4414-0.7M	
	PSGS4M-PSGS4M-4414-0.8M	
	PSGS4M-PSGS4M-4414-1.5M	
	PSGS4M-PSGS4M-4414-10M	
	PSGS4M-PSGS4M-4414-15M	
	PSGS4M-PSGS4M-4414-1M	
	PSGS4M-PSGS4M-4414-2.5M	
	PSGS4M-PSGS4M-4414-20M	
	PSGS4M-PSGS4M-4414-25M	
	PSGS4M-PSGS4M-4414-2M	
	PSGS4M-PSGS4M-4414-3.5M	
	PSGS4M-PSGS4M-4414-30M	
	PSGS4M-PSGS4M-4414-35M	
	PSGS4M-PSGS4M-4414-3M	
	PSGS4M-PSGS4M-4414-40M	
	PSGS4M-PSGS4M-4414-45M	
	PSGS4M-PSGS4M-4414-4M	
	PSGS4M-PSGS4M-4414-50M	
	PSGS4M-PSGS4M-4414-5M	
	PSGS4M-PSGS4M-4414-6M	
	PSGS4M-PSGS4M-4414-7.5M	
	PSGS4M-PSGS4M-4414-7M	



Bruce Mahrenholz, Director North American Certification Program
 UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number E464271
Report Reference E464271-20210920
Issue Date 2022-JANUARY-12

Products Covered	Product Designation	Nomenclature
	PSGS4M-PSGS4M-4414-8M	
	PSGS4M-PSGS4M-4414-9M	
	PSGS4M-PSGS4M-4416-0.5M	
	PSGS4M-PSGS4M-4416-1.5M	
	PSGS4M-PSGS4M-4416-100M	
	PSGS4M-PSGS4M-4416-10M	
	PSGS4M-PSGS4M-4416-15M	
	PSGS4M-PSGS4M-4416-1M	
	PSGS4M-PSGS4M-4416-20M	
	PSGS4M-PSGS4M-4416-25M	
	PSGS4M-PSGS4M-4416-2M	
	PSGS4M-PSGS4M-4416-3M	
	PSGS4M-PSGS4M-4416-40M	
	PSGS4M-PSGS4M-4416-50M	
	PSGS4M-PSGS4M-4416-5M	
	PSGS4M-PSGS4M-4416-6M	
	PSGS4M-PSGS4M-4416-75M	
	PSGS4M-PSGS4M-4416-7M	
	PSGS4M-RJ45S-4414-0.2M	
	PSGS4M-RJ45S-4414-0.5M	
	PSGS4M-RJ45S-4414-1.5M	
	PSGS4M-RJ45S-4414-100M	
	PSGS4M-RJ45S-4414-10M	
	PSGS4M-RJ45S-4414-15M	
	PSGS4M-RJ45S-4414-1M	
	PSGS4M-RJ45S-4414-2.7M	
	PSGS4M-RJ45S-4414-20M	
	PSGS4M-RJ45S-4414-25M	
	PSGS4M-RJ45S-4414-2M	
	PSGS4M-RJ45S-4414-30M	
	PSGS4M-RJ45S-4414-3M	
	PSGS4M-RJ45S-4414-40M	
	PSGS4M-RJ45S-4414-4M	
	PSGS4M-RJ45S-4414-50M	
	PSGS4M-RJ45S-4414-5M	
	PSGS4M-RJ45S-4414-6M	
	PSGS4M-RJ45S-4414-7.5M	
	PSGS4M-RJ45S-4414-7M	
	PSGS4M-RJ45S-4414-90M	
	PSGS4M-RJ45S-4416-0.5M	
	PSGS4M-RJ45S-4416-100M	



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number E464271
Report Reference E464271-20210920
Issue Date 2022-JANUARY-12

Products Covered	Product Designation	Nomenclature
	PSGS4M-RJ45S-4416-10M	
	PSGS4M-RJ45S-4416-15M	
	PSGS4M-RJ45S-4416-1M	
	PSGS4M-RJ45S-4416-20M	
	PSGS4M-RJ45S-4416-25M	
	PSGS4M-RJ45S-4416-2M	
	PSGS4M-RJ45S-4416-30M	
	PSGS4M-RJ45S-4416-40M	
	PSGS4M-RJ45S-4416-50M	
	PSGS4M-RJ45S-4416-5M	
	PSGS4M-RJ45S-4416-70M	
	PSGS4M-RJ45S-4416-75M	
	PSGS4M-RJ45S-4416-90M	
	PSWS4M-PSWS4M-4414-0.15M	
	PSWS4M-PSWS4M-4414-0.2M	
	PSWS4M-PSWS4M-4414-0.3M	
	PSWS4M-PSWS4M-4414-0.5M	
	PSWS4M-PSWS4M-4414-1M	
	PSWS4M-PSWS4M-4414-2M	
	PSWS4M-PSWS4M-4414-3M	
	PSWS4M-PSWS4M-4414-5M	
	PSWS4M-PSWS4M-4416-0.2M	
	PSWS4M-PSWS4M-4416-0.3M	
	PSWS4M-PSWS4M-4416-0.4M	
	PSWS4M-PSWS4M-4416-0.5M	
	PSWS4M-PSWS4M-4416-1M	
	PSWS4M-PSWS4M-4416-2M	
	PSWS4M-RJ45S-4414-0.2M	
	PSWS4M-RJ45S-4414-0.5M	
	PSWS4M-RJ45S-4414-0.7M	
	PSWS4M-RJ45S-4414-1M/TS5001	
	PSWS4M-RJ45S-4414-5M	
	PSWS4M-RJ45S-4414-5M/TS5001	
	RJ45S-4416-10M	
	RJ45S-4416-15M	
	RJ45S-4416-20M	
	RJ45S-4416-30M	
	RJ45S-4416-35M	
	RJ45S-4416-40M	
	RJ45S-4416-45M	
	RJ45S-4416-55M	



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number E464271
Report Reference E464271-20210920
Issue Date 2022-JANUARY-12

Products Covered	Product Designation	Nomenclature
	RJ45S-FKSDD-4414-0.5M	
	RJ45S-FKSDD-4414-10M	
	RJ45S-FKSDD-4414-15M	
	RJ45S-FKSDD-4414-20M	
	RJ45S-FKSDD-4414-25M	
	RJ45S-FKSDD-4414-2M	
	RJ45S-FKSDD-4414-3M	
	RJ45S-FKSDD-4414-5.5M	
	RJ45S-FKSDD-4414-5M	
	RJ45S-FKSDD-4414-6M	
	RJ45S-FKSDD-4414-7.5M	
	RJ45S-FKSDD-4416-0.2M	
	RJ45S-FKSDD-4416-0.5M	
	RJ45S-FKSDD-4416-10M	
	RJ45S-FKSDD-4416-15M	
	RJ45S-FKSDD-4416-1M	
	RJ45S-FKSDD-4416-2.5M	
	RJ45S-FKSDD-4416-20M	
	RJ45S-FKSDD-4416-25M	
	RJ45S-FKSDD-4416-2M	
	RJ45S-FKSDD-4416-3M	
	RJ45S-FKSDD-4416-5.5M	
	RJ45S-FKSDD-4416-5M	
	RJ45S-FKSDD-4416-6M	
	RJ45S-FKSDD-4416-7.5M	
	RJ45S-RJ45S-4414-0.15M	
	RJ45S-RJ45S-4414-0.3M	
	RJ45S-RJ45S-4414-0.5M	
	RJ45S-RJ45S-4414-1.5M	
	RJ45S-RJ45S-4414-10M	
	RJ45S-RJ45S-4414-15M	
	RJ45S-RJ45S-4414-1M	
	RJ45S-RJ45S-4414-20M	
	RJ45S-RJ45S-4414-25M	
	RJ45S-RJ45S-4414-2M	
	RJ45S-RJ45S-4414-30M	
	RJ45S-RJ45S-4414-35M	
	RJ45S-RJ45S-4414-3M	
	RJ45S-RJ45S-4414-40M	
	RJ45S-RJ45S-4414-45M	
	RJ45S-RJ45S-4414-4M	



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number E464271
Report Reference E464271-20210920
Issue Date 2022-JANUARY-12

Products Covered	Product Designation	Nomenclature
	RJ45S-RJ45S-4414-50M	
	RJ45S-RJ45S-4414-5M	
	RJ45S-RJ45S-4414-8M	
	RJ45S-RJ45S-4416-0.3M	
	RJ45S-RJ45S-4416-0.5M	
	RJ45S-RJ45S-4416-0.75M	
	RJ45S-RJ45S-4416-1.5M	
	RJ45S-RJ45S-4416-100M	
	RJ45S-RJ45S-4416-10M	
	RJ45S-RJ45S-4416-12.5M	
	RJ45S-RJ45S-4416-12M	
	RJ45S-RJ45S-4416-15M	
	RJ45S-RJ45S-4416-17.5M	
	RJ45S-RJ45S-4416-1M	
	RJ45S-RJ45S-4416-2.5M	
	RJ45S-RJ45S-4416-20M	
	RJ45S-RJ45S-4416-25M	
	RJ45S-RJ45S-4416-2M	
	RJ45S-RJ45S-4416-30M	
	RJ45S-RJ45S-4416-35M	
	RJ45S-RJ45S-4416-3M	
	RJ45S-RJ45S-4416-40M	
	RJ45S-RJ45S-4416-45M	
	RJ45S-RJ45S-4416-4M	
	RJ45S-RJ45S-4416-50M	
	RJ45S-RJ45S-4416-5M	
	RJ45S-RJ45S-4416-60M	
	RJ45S-RJ45S-4416-65M	
	RJ45S-RJ45S-4416-6M	
	RJ45S-RJ45S-4416-7.5M	
	RJ45S-RJ45S-4416-70M	
	RJ45S-RJ45S-4416-75M	
	RJ45S-RJ45S-4416-7M	
	RJ45S-RJ45S-4416-80M	
	RJ45S-RJ45S-4416-85M	
	RJ45S-RJ45S-4416-8M	
	RJ45S-RJ45S-4416-90M	
	RJ45S-RJ45S-8414-0.17M	
	RJ45S-RJ45S-8414-0.26M	
	RJ45S-RJ45S-8414-0.5M	
	RJ45S-RJ45S-8414-10M	



Bruce Mahrenholz, Director North American Certification Program

UL LLC


Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number E464271
Report Reference E464271-20210920
Issue Date 2022-JANUARY-12

Products Covered	Product Designation	Nomenclature
	RJ45S-RJ45S-8414-15M	
	RJ45S-RJ45S-8414-1M	
	RJ45S-RJ45S-8414-2M	
	RJ45S-RJ45S-8414-3M	
	RJ45S-RJ45S-8414-4M	
	RJ45S-RJ45S-8414-5M	
	RJ45S-RJ45S-8414-6M	
	RJ45S-RJ45S-8414-7.5M	
	RJ45S-RJ45S-8814-0.2M	
	RJ45S-RJ45S-8814-10M	
	RJ45S-RJ45S-8814-1M	
	RJ45S-RJ45S-8814-20M	
	RJ45S-RJ45S-8814-2M	
	RJ45S-RJ45S-8814-3M	
	RJ45S-RJ45S-8814-40M	
	RJ45S-RJ45S-8814-4M	
	RJ45S-RJ45S-8814-5M	
	RKSD-RJ45S-4414-0.4M	
	RKSD-RJ45S-4416-10M	
	RKSD-RJ45S-4416-10M/S1148	
	RKSD-RJ45S-4416-15M	
	RKSD-RJ45S-4416-20M	
	RKSD-RJ45S-4416-25M	
	RKSD-RJ45S-4416-2M/S1148	
	RKSD-RJ45S-4416-30M	
	RKSD-RJ45S-4416-35M	
	RKSD-RJ45S-4416-5M	
	RKSD-RJ45S-4416-5M/S1148	
	RKSD-RJ45S-4416-7.5M	
	RKSD-RJ45S-4416-7.5M/S1148	
	RSSD-PSGS4M-4414-0.3M	
	RSSD-PSGS4M-4414-0.5M	
	RSSD-PSGS4M-4414-0.6M	
	RSSD-PSGS4M-4414-0.7M	
	RSSD-PSGS4M-4414-1.5M	
	RSSD-PSGS4M-4414-10M	
	RSSD-PSGS4M-4414-15M	
	RSSD-PSGS4M-4414-1M	
	RSSD-PSGS4M-4414-20M	
	RSSD-PSGS4M-4414-25M	
	RSSD-PSGS4M-4414-2M	



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number E464271
Report Reference E464271-20210920
Issue Date 2022-JANUARY-12

Products Covered	Product Designation	Nomenclature
	RSSD-PSGS4M-4414-3M	
	RSSD-PSGS4M-4414-3M/S6000	
	RSSD-PSGS4M-4414-4M	
	RSSD-PSGS4M-4414-5M	
	RSSD-PSGS4M-4414-6M	
	RSSD-PSGS4M-4414-7M	
	RSSD-PSGS4M-4414-8M	
	RSSD-PSGS4M-4414-9M	
	RSSD-PSGS4M-4416-0.5M	
	RSSD-PSGS4M-4416-1.5M	
	RSSD-PSGS4M-4416-10M	
	RSSD-PSGS4M-4416-15M	
	RSSD-PSGS4M-4416-1M	
	RSSD-PSGS4M-4416-20M	
	RSSD-PSGS4M-4416-25M	
	RSSD-PSGS4M-4416-2M	
	RSSD-PSGS4M-4416-30M	
	RSSD-PSGS4M-4416-3M	
	RSSD-PSGS4M-4416-40M	
	RSSD-PSGS4M-4416-50M	
	RSSD-PSGS4M-4416-5M	
	RSSD-PSGS4M-4416-60M	
	RSSD-PSGS4M-4416-6M	
	RSSD-PSGS4M-4416-70M	
	RSSD-PSWS4M-4414-5M	
	RSSD-PSWS4M-4416-1M	
	RSSD-RJ45S-4414-0.3M	
	RSSD-RJ45S-4414-0.5M	
	RSSD-RJ45S-4414-10M	
	RSSD-RJ45S-4414-12M	
	RSSD-RJ45S-4414-15M	
	RSSD-RJ45S-4414-1M	
	RSSD-RJ45S-4414-20M	
	RSSD-RJ45S-4414-25M	
	RSSD-RJ45S-4414-2M	
	RSSD-RJ45S-4414-30M	
	RSSD-RJ45S-4414-35M	
	RSSD-RJ45S-4414-3M	
	RSSD-RJ45S-4414-40M	
	RSSD-RJ45S-4414-45M	
	RSSD-RJ45S-4414-5M	



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number E464271
Report Reference E464271-20210920
Issue Date 2022-JANUARY-12

Products Covered	Product Designation	Nomenclature
	RSSD-RJ45S-4414-6M	
	RSSD-RJ45S-4414-7.5M	
	RSSD-RJ45S-4414-7M	
	RSSD-RJ45S-4414-8M	
	RSSD-RJ45S-4416-0.3M/S1148	
	RSSD-RJ45S-4416-0.4M/S1148	
	RSSD-RJ45S-4416-0.5M	
	RSSD-RJ45S-4416-0.5M/S1148	
	RSSD-RJ45S-4416-0.6M/S1148	
	RSSD-RJ45S-4416-0.7M/S1148	
	RSSD-RJ45S-4416-0.8M/S1148	
	RSSD-RJ45S-4416-0.9M/S1148	
	RSSD-RJ45S-4416-1.1M/S1148	
	RSSD-RJ45S-4416-1.2M/S1148	
	RSSD-RJ45S-4416-1.3M/S1148	
	RSSD-RJ45S-4416-1.4M/S1148	
	RSSD-RJ45S-4416-1.5M	
	RSSD-RJ45S-4416-1.5M/S1148	
	RSSD-RJ45S-4416-1.75M/S1148	
	RSSD-RJ45S-4416-100M	
	RSSD-RJ45S-4416-10M	
	RSSD-RJ45S-4416-10M/S1148	
	RSSD-RJ45S-4416-11M/S1148	
	RSSD-RJ45S-4416-12M	
	RSSD-RJ45S-4416-12M/S1148	
	RSSD-RJ45S-4416-13M/S1148	
	RSSD-RJ45S-4416-14M/S1148	
	RSSD-RJ45S-4416-15M	
	RSSD-RJ45S-4416-15M/S1148	
	RSSD-RJ45S-4416-16M/S1148	
	RSSD-RJ45S-4416-17M/S1148	
	RSSD-RJ45S-4416-18M/S1148	
	RSSD-RJ45S-4416-19M/S1148	
	RSSD-RJ45S-4416-1M	
	RSSD-RJ45S-4416-1M/S1148	
	RSSD-RJ45S-4416-2.5M	
	RSSD-RJ45S-4416-2.5M/S1148	
	RSSD-RJ45S-4416-20M	
	RSSD-RJ45S-4416-20M/S1148	
	RSSD-RJ45S-4416-25M	
	RSSD-RJ45S-4416-2M	



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number E464271
Report Reference E464271-20210920
Issue Date 2022-JANUARY-12

Products Covered	Product Designation	Nomenclature
	RSSD-RJ45S-4416-2M/S1148	
	RSSD-RJ45S-4416-3.2M	
	RSSD-RJ45S-4416-3.4M	
	RSSD-RJ45S-4416-3.5M/S1148	
	RSSD-RJ45S-4416-30M	
	RSSD-RJ45S-4416-30M/S1148	
	RSSD-RJ45S-4416-35M	
	RSSD-RJ45S-4416-3M	
	RSSD-RJ45S-4416-3M/S1148	
	RSSD-RJ45S-4416-4.2M	
	RSSD-RJ45S-4416-4.5M	
	RSSD-RJ45S-4416-4.5M/S1148	
	RSSD-RJ45S-4416-40M	
	RSSD-RJ45S-4416-45M	
	RSSD-RJ45S-4416-4M	
	RSSD-RJ45S-4416-4M/S1148	
	RSSD-RJ45S-4416-5.6M	
	RSSD-RJ45S-4416-5.7M	
	RSSD-RJ45S-4416-50M	
	RSSD-RJ45S-4416-5M	
	RSSD-RJ45S-4416-5M/S1148	
	RSSD-RJ45S-4416-6.5M	
	RSSD-RJ45S-4416-60M	
	RSSD-RJ45S-4416-65M	
	RSSD-RJ45S-4416-6M	
	RSSD-RJ45S-4416-6M/S1148	
	RSSD-RJ45S-4416-7.5M	
	RSSD-RJ45S-4416-70M	
	RSSD-RJ45S-4416-7M/S1148	
	RSSD-RJ45S-4416-80M	
	RSSD-RJ45S-4416-85M	
	RSSD-RJ45S-4416-8M	
	RSSD-RJ45S-4416-8M/S1148	
	RSSD-RJ45S-4416-90M	
	RSSD-RJ45S-4416-9M/S1148	
	RSSD-RSSD-4414-0.3M	
	RSSD-RSSD-4414-0.5M	
	RSSD-RSSD-4414-1.5M	
	RSSD-RSSD-4414-10M	
	RSSD-RSSD-4414-15M	
	RSSD-RSSD-4414-1M	



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number E464271
Report Reference E464271-20210920
Issue Date 2022-JANUARY-12

Products Covered	Product Designation	Nomenclature
	RSSD-RSSD-4414-20M	
	RSSD-RSSD-4414-25M	
	RSSD-RSSD-4414-2M	
	RSSD-RSSD-4414-30M	
	RSSD-RSSD-4414-35M	
	RSSD-RSSD-4414-3M	
	RSSD-RSSD-4414-40M	
	RSSD-RSSD-4414-4M	
	RSSD-RSSD-4414-50M	
	RSSD-RSSD-4414-5M	
	RSSD-RSSD-4414-6M	
	RSSD-RSSD-4414-7.5M	
	RSSD-RSSD-4414-7M	
	RSSD-RSSD-4414-8M	
	RSSD-RSSD-4416-0.3M	
	RSSD-RSSD-4416-0.3M/S1148	
	RSSD-RSSD-4416-0.5M	
	RSSD-RSSD-4416-0.5M/S1148	
	RSSD-RSSD-4416-0.6M	
	RSSD-RSSD-4416-1.5M	
	RSSD-RSSD-4416-1.5M/S1148	
	RSSD-RSSD-4416-100M	
	RSSD-RSSD-4416-10M	
	RSSD-RSSD-4416-10M/S1148	
	RSSD-RSSD-4416-11M/S1148	
	RSSD-RSSD-4416-12M	
	RSSD-RSSD-4416-12M/S1148	
	RSSD-RSSD-4416-13M/S1148	
	RSSD-RSSD-4416-14M/S1148	
	RSSD-RSSD-4416-15M	
	RSSD-RSSD-4416-15M/S1148	
	RSSD-RSSD-4416-16M/S1148	
	RSSD-RSSD-4416-17M/S1148	
	RSSD-RSSD-4416-18M	
	RSSD-RSSD-4416-18M/S1148	
	RSSD-RSSD-4416-19M/S1148	
	RSSD-RSSD-4416-1M	
	RSSD-RSSD-4416-1M/S1148	
	RSSD-RSSD-4416-2.5M/S1148	
	RSSD-RSSD-4416-20M	
	RSSD-RSSD-4416-20M/S1148	



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number E464271
Report Reference E464271-20210920
Issue Date 2022-JANUARY-12

Products Covered	Product Designation	Nomenclature
	RSSD-RSSD-4416-22M	
	RSSD-RSSD-4416-23M	
	RSSD-RSSD-4416-25M	
	RSSD-RSSD-4416-2M	
	RSSD-RSSD-4416-2M/S1148	
	RSSD-RSSD-4416-3.5M/S1148	
	RSSD-RSSD-4416-3.75M/S1148	
	RSSD-RSSD-4416-30M	
	RSSD-RSSD-4416-30M/S1148	
	RSSD-RSSD-4416-35M	
	RSSD-RSSD-4416-3M	
	RSSD-RSSD-4416-3M/S1148	
	RSSD-RSSD-4416-4.5M/S1148	
	RSSD-RSSD-4416-40M	
	RSSD-RSSD-4416-45M	
	RSSD-RSSD-4416-4M	
	RSSD-RSSD-4416-4M/S1148	
	RSSD-RSSD-4416-50M	
	RSSD-RSSD-4416-55M	
	RSSD-RSSD-4416-5M	
	RSSD-RSSD-4416-5M/S1148	
	RSSD-RSSD-4416-60M	
	RSSD-RSSD-4416-65M	
	RSSD-RSSD-4416-6M	
	RSSD-RSSD-4416-6M/S1148	
	RSSD-RSSD-4416-7.5M	
	RSSD-RSSD-4416-70M	
	RSSD-RSSD-4416-75M	
	RSSD-RSSD-4416-7M	
	RSSD-RSSD-4416-7M/S1148	
	RSSD-RSSD-4416-80M	
	RSSD-RSSD-4416-85M	
	RSSD-RSSD-4416-8M	
	RSSD-RSSD-4416-8M/S1148	
	RSSD-RSSD-4416-90M	
	RSSD-RSSD-4416-9M/S1148	
	RSS-RJ45S-8814-1.3M	
	RSS-RJ45S-8814-10M	
	RSS-RJ45S-8814-15M	
	RSS-RJ45S-8814-1M	
	RSS-RJ45S-8814-20M	



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number E464271
Report Reference E464271-20210920
Issue Date 2022-JANUARY-12

Products Covered	Product Designation	Nomenclature
	RSS-RJ45S-8814-25M	
	RSS-RJ45S-8814-2M	
	RSS-RJ45S-8814-3M	
	RSS-RJ45S-8814-50M	
	RSS-RJ45S-8814-5M	
	RSSX-RJ45S-8814-0.2M	
	RSSX-RJ45S-8814-10M	
	RSSX-RJ45S-8814-15M	
	RSSX-RJ45S-8814-1M	
	RSSX-RJ45S-8814-20M	
	RSSX-RJ45S-8814-25M	
	RSSX-RJ45S-8814-2M	
	RSSX-RJ45S-8814-30M	
	RSSX-RJ45S-8814-50M	
	RSSX-RJ45S-8814-5M	
	RSSX-RSSX-8814-0.6M/S1148	
	RSSX-RSSX-8814-1.5M/S1148	
	RSSX-RSSX-8814-100M	
	RSSX-RSSX-8814-10M	
	RSSX-RSSX-8814-10M/S1148	
	RSSX-RSSX-8814-12M/S1148	
	RSSX-RSSX-8814-14M/S1148	
	RSSX-RSSX-8814-15M	
	RSSX-RSSX-8814-16M/S1148	
	RSSX-RSSX-8814-18M/S1148	
	RSSX-RSSX-8814-1M	
	RSSX-RSSX-8814-1M/S1148	
	RSSX-RSSX-8814-2.5M/S1148	
	RSSX-RSSX-8814-20M	
	RSSX-RSSX-8814-20M/S1148	
	RSSX-RSSX-8814-25M	
	RSSX-RSSX-8814-2M	
	RSSX-RSSX-8814-2M/S1148	
	RSSX-RSSX-8814-3.5M/S1148	
	RSSX-RSSX-8814-30M/S1148	
	RSSX-RSSX-8814-3M/S1148	
	RSSX-RSSX-8814-4.5M/S1148	
	RSSX-RSSX-8814-4M/S1148	
	RSSX-RSSX-8814-50M	
	RSSX-RSSX-8814-5M	
	RSSX-RSSX-8814-5M/S1148	



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number E464271
Report Reference E464271-20210920
Issue Date 2022-JANUARY-12

Products Covered	Product Designation	Nomenclature
	RSSX-RSSX-8814-6M/S1148	
	RSSX-RSSX-8814-7M/S1148	
	RSSX-RSSX-8814-8M/S1148	
	RSSX-RSSX-8814-9M/S1148	
	v	
	WSSD-PSWS4M-4416-0.3M	
	WSSD-PSWS4M-4416-1M	
	WSSD-PSWS4M-4416-2M	
	WSSD-PSWS4M-4416-4M	
	WSSD-PSWS4M-4416-6M	
	WSSD-RJ45S-4414-0.5M	
	WSSD-RJ45S-4414-10M	
	WSSD-RJ45S-4414-15M	
	WSSD-RJ45S-4414-1M	
	WSSD-RJ45S-4414-20M	
	WSSD-RJ45S-4414-25M	
	WSSD-RJ45S-4414-2M	
	WSSD-RJ45S-4414-30M	
	WSSD-RJ45S-4414-3M	
	WSSD-RJ45S-4414-5M	
	WSSD-RJ45S-4416-0.6M	
	WSSD-RJ45S-4416-1.5M	
	WSSD-RJ45S-4416-10M	
	WSSD-RJ45S-4416-12M	
	WSSD-RJ45S-4416-13M	
	WSSD-RJ45S-4416-15M	
	WSSD-RJ45S-4416-1M	
	WSSD-RJ45S-4416-20M	
	WSSD-RJ45S-4416-2M	
	WSSD-RJ45S-4416-30M	
	WSSD-RJ45S-4416-35M	
	WSSD-RJ45S-4416-3M	
	WSSD-RJ45S-4416-4M	
	WSSD-RJ45S-4416-5M	
	WSSD-RJ45S-4416-6M	
	WSSD-RSSD-4416-0.6M	
	WSSD-RSSD-4416-1.5M	
	WSSD-RSSD-4416-10M	
	WSSD-RSSD-4416-15M	
	WSSD-RSSD-4416-17M	
	WSSD-RSSD-4416-1M	



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number E464271
Report Reference E464271-20210920
Issue Date 2022-JANUARY-12

Products Covered	Product Designation	Nomenclature
	WSSD-RSSD-4416-2M	
	WSSD-RSSD-4416-3M	
	WSSD-RSSD-4416-5M	
	WSSD-RSSD-4416-6M	
	WSSD-RSSD-4416-8M	
	WSSD-WSSD-4414-0.6M	
	WSSD-WSSD-4414-10M	
	WSSD-WSSD-4414-15M	
	WSSD-WSSD-4414-1M	
	WSSD-WSSD-4414-20M	
	WSSD-WSSD-4414-25M	
	WSSD-WSSD-4414-2M	
	WSSD-WSSD-4414-30M	
	WSSD-WSSD-4414-3M	
	WSSD-WSSD-4414-5.5M	
	WSSD-WSSD-4414-5M	
	WSSD-WSSD-4416-0.3M	
	WSSD-WSSD-4416-0.5M	
	WSSD-WSSD-4416-0.6M	
	WSSD-WSSD-4416-1.5M	
	WSSD-WSSD-4416-10.5M	
	WSSD-WSSD-4416-10M	
	WSSD-WSSD-4416-11.5M	
	WSSD-WSSD-4416-11M	
	WSSD-WSSD-4416-12.5M	
	WSSD-WSSD-4416-12M	
	WSSD-WSSD-4416-13.5M	
	WSSD-WSSD-4416-13M	
	WSSD-WSSD-4416-14.5M	
	WSSD-WSSD-4416-14M	
	WSSD-WSSD-4416-15.5M	
	WSSD-WSSD-4416-15M	
	WSSD-WSSD-4416-16.5M	
	WSSD-WSSD-4416-16M	
	WSSD-WSSD-4416-17.5M	
	WSSD-WSSD-4416-17M	
	WSSD-WSSD-4416-18.5M	
	WSSD-WSSD-4416-18M	
	WSSD-WSSD-4416-19.5M	
	WSSD-WSSD-4416-19M	
	WSSD-WSSD-4416-1M	



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number E464271
Report Reference E464271-20210920
Issue Date 2022-JANUARY-12

Products Covered	Product Designation	Nomenclature
	WSSD-WSSD-4416-2.5M	
	WSSD-WSSD-4416-20.5M	
	WSSD-WSSD-4416-20M	
	WSSD-WSSD-4416-21.5M	
	WSSD-WSSD-4416-21M	
	WSSD-WSSD-4416-22.5M	
	WSSD-WSSD-4416-22M	
	WSSD-WSSD-4416-23.5M	
	WSSD-WSSD-4416-23M	
	WSSD-WSSD-4416-24.5M	
	WSSD-WSSD-4416-24M	
	WSSD-WSSD-4416-25M	
	WSSD-WSSD-4416-2M	
	WSSD-WSSD-4416-3.5M	
	WSSD-WSSD-4416-3M	
	WSSD-WSSD-4416-4.5M	
	WSSD-WSSD-4416-4M	
	WSSD-WSSD-4416-5.5M	
	WSSD-WSSD-4416-5M	
	WSSD-WSSD-4416-6.5M	
	WSSD-WSSD-4416-6M	
	WSSD-WSSD-4416-7.5M	
	WSSD-WSSD-4416-7M	
	WSSD-WSSD-4416-8.5M	
	WSSD-WSSD-4416-8M	
	WSSD-WSSD-4416-9.5M	
	WSSD-WSSD-4416-9M	



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

